

`	1	2	3	4	5	6	7	8	9	0	-	=	
other-frame			unsplit	split	⊠	select ¶	S Line	S word	S quote				
	q	w	e	r	t	y	u	i	o	p	[]	\
	reformat	⊠ _L ⊠	⊠w	⊠w	mark	undo	← word	↑	→ word	⊠ins			
Cmd Mode	a	s	d	f	g	h	j	k	l	;	'		
	M-x	↶	⊠	insert	⊠¶	↶↵	←	↓	→	→↵			
		z	x	c	v	b	n	m	,	.	/		
		cmt	cut	copy	paste	Case	isearch	← (next win	→)	goto()		
				leader key									

Xah Fly Keys command mode layout

key	binding	key	binding
C-a	mark-whole-buffer	n	isearch-forward
C-d	pop-global-mark	o	forward-word
C-n	xah-new-empty-buffer	p	xah-insert-space-before
C-o	find-file	q	xah-reformat-lines
C-s	save-buffer	r	xah-kill-word
C-v	yank	s	open-line
C-w	xah-close-current-buffer	t	set-mark-command
C-z	undo	u	backward-word
ESC	Prefix Command	v	xah-paste-or-paste-previous
SPC	xah-fly-leader-key-map	w	xah-shrink-whitespaces
'	xah-cycle-hyphen-underscore-space	x	xah-cut-line-or-region
,	xah-next-window-or-frame	y	undo
-	xah-backward-punct	z	xah-comment-dwim
.	xah-forward-right-bracket	DEL	xah-fly-leader-key-map
/	xah-goto-matching-bracket	C-S-n	make-frame-command
0	xah-pop-local-mark-ring	C-S-s	write-file
1	xah-extend-selection	C-S-t	xah-open-last-closed
2	xah-select-line	C-SPC	xah-fly-leader-key-map
3	delete-other-windows	C-+	text-scale-increase
4	split-window-below	C--	text-scale-decrease
5	delete-char	C-0	scroll-up-command
6	xah-select-block	C-1	xah-next-user-buffer
7	xah-select-line	C-2	xah-previous-user-buffer
8	xah-extend-selection	C-3	previous-error
9	xah-select-text-in-quote	C-4	next-error
;	xah-end-of-line-or-block	C-5	xah-previous-emacs-buffer
=	xah-forward-punct	C-6	xah-next-emacs-buffer
[hippie-expand	C-7	xah-previous-user-buffer
]	xah-forward-punct	C-8	xah-next-user-buffer
`	other-frame	C-9	scroll-down-command
a	xah-fly-M-x	<C-S-iso-lefttab>	xah-previous-user-buffer
b	xah-toggle-letter-case	<C-S-next>	xah-next-emacs-buffer
c	xah-copy-line-or-region	<C-S-prior>	xah-previous-emacs-buffer
d	xah-delete-backward-char	<C-S-tab>	xah-previous-user-buffer
	-or-bracket-text		
e	xah-backward-kill-word	<C-f11>	xah-previous-emacs-buffer
f	xah-fly-insert-mode-activate	<C-f12>	xah-next-emacs-buffer
g	xah-delete-current-text-block	<C-next>	xah-next-user-buffer
h	xah-beginning-of-line-or-block	<C-prior>	xah-previous-user-buffer
i	previous-line	<C-tab>	xah-next-user-buffer
j	backward-char	<f8>	xah-fly-command-mode-activate-no-hook
k	next-line	<f9>	xah-fly-leader-key-map
l	forward-char	<f11>	xah-previous-user-buffer
		<home>	xah-fly-command-mode-activate
		<menu>	xah-fly-command-mode-activate